









	GND
2	YD
3	XL
4	YU
5	XR
6	LCD_ID
7	VCC
8	IOVCC
9	FMARK
10	CS
11	RS
12	WR
13	RD
14	DB0
15	DB1
16	DB2
17	DB3
18	DB4
19	DB5
20	DB6
21	DB7
22	DB8
23	DB9
24	DB10
25	DB11
26	DB12
27	DB13
28	DB14
29	DB15
30	RESET
31	IMO
32	NC
33	GND
34	LED-1
35	LED-2
36	LED-3
37	LED-4
38	LED-A
39	GND
40	NC



Detail:A  
Scale:40:1



Detail:B  
Scale:4:1



CIRCUIT DIAGRAM

NOTES:

1. Display Type: a-si TFT
2. Gray Scale Inversion: 6 o'clock
3. Driver IC: ILI9341
4. Backlight : 4 LED parallel
5. General Tolerance: ±0.2
6. Requirements on Environment Protection: RoHS Compliant.
7. Recommended Case Open Area Should be less than Module V.A
8. Connector: FH19SC-40S-0.5SH

CUSTOMER APVL	CUSTOMER	DATE	
DRAWN	SCALE	TITLE	
DFTG CHK	UNIT	MI0240ST-8	
ENGR CHK	mm	MODEL	
APPROVAL		DWG NO	
MULTI-INNO TECHNOLOGY CO.,LTD.			PAGE
			1/1